AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONT	RACT	1. Contract l		Page 1 Of 7
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Req			5. Project No.	(If applicable)
P00001	2003MAR14	SEE SC	HEDULE			
6. Issued By	Code W56HZV	7. Administered B	y (If other	than Item 6)		Code S2305A
TACOM		DCMA DETRO				
AMSTA-AQ-AHEA LORETTA BURSEY (586)574-8115		U.S. ARMY T	'ANK & AUT	OMOTIVE COMM	AND	
WARREN, MICHIGAN 48397-5000		ATTN: DCMA	E-GJD			
HTTP://CONTRACTING.TACOM.ARMY.MIL		WARREN, MI	48397-50	00		
EMAIL: BURSEYL@TACOM.ARMY.MIL			SCD A	PAS NONE	ADP I	PT HQ0337
8. Name And Address Of Contractor (No., Stre	et, City, County, State and	Zip Code)		9A. Amendme	nt Of Solicitation	ı No.
MINOWITZ MFG CO 27941 GROESBECK HWY			-	9B. Dated (See	Item 11)	
ROSEVILLE MI 48066-2756				Dated (See	110111 11)	
			Х	10A. Modificat	tion Of Contract	/Order No.
				DAAE07-02-C-	N115	
TYPE BUSINESS: Other Small Business	Performing in U.S.		\	10B. Dated (Se	e Item 13)	
Code 32842 Facility Code				2002SEP23	,	
11. T	HIS ITEM ONLY APPLI	ES TO AMENDME	NTS OF SO	DLICITATION	S	
The above numbered solicitation is amend	ed as set forth in item 14.	The hour and date	specified fo	r receipt of Of	fers	
is extended, is not extended.						
Offers must acknowledge receipt of this ame						
(a) By completing items 8 and 15, and return offer submitted; or (c) By separate letter or						dment on each copy of the URE OF YOUR
ACKNOWLEDGMENT TO BE RECEIVED						
SPECIFIED MAY RESULT IN REJECTIO change may be made by telegram or letter, p						
opening hour and date specified.	rovided each telegram or	ictici makes i cici cii	ec to the so	ncitation and t	ins amendment,	and is received prior to the
12. Accounting And Appropriation Data (If red ACRN: AB NET INCREASE: \$75,848.00	(uired)					
						FMS REQUIREMENT
13. THIS KIND MOD CODE: G	ITEM ONLY APPLIES T				DERS	
A. This Change Order is Issued Pursual	It Modifies The Contra	ict/Order No. As De	scribed in 1		nanges Set Forth	In Item 14 Are Made In
The Contract/Order No. In Item 10	Λ.					
B. The Above Numbered Contract/Orde Set Forth In Item 14, Pursuant To T	he Authority of FAR 43.10	03(b).				appropriation data, etc.)
X C. This Supplemental Agreement Is Ent	ered Into Pursuant To Au	thority Of: Mutual	Agreemen	t of Both Pa	rties	
D. Other (Specify type of modification a	nd authority)					
E. IMPORTANT: Contractor is not,	X is required to sign	this document and	return		copies to the Issu	ing Office.
14. Description Of Amendment/Modification (Control of Control of C	Organized by UCF section	headings, including	solicitation	/contract subje	ct matter where	feasible.)
SEE SECOND PAGE FOR DESCRIPTION						
BEE SECOND THOS TON SESSIES ITON						
Contract Expiration Date: 2004OCT30						
Except as provided herein, all terms and condit and effect.	ions of the document refer	renced in item 9A or	10A, as he	retofore chang	ed, remains uncl	nanged and in full force
15A. Name And Title Of Signer (Type or print)					Officer (Type or	r print)
			C. KULCZYO	CKI MY.MIL (586)5	74-7299	
15B. Contractor/Offeror	15C. Date Signed	16B. United			,2,,	16C. Date Signed
	<u> </u>					
(Signature of person authorized to sign)	-	By	Signature of	/SIGNED/ f Contracting (Officer)	2003MAR14
NSN 7540-01-152-8070		30-105-02	ngnature U			ORM 30 (REV. 10-83)

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-02-C-N115

MOD/AMD P00001

Page 2 of 7

Name of Offeror or Contractor: MINOWITZ MFG CO

SECTION A - SUPPLEMENTAL INFORMATION

NOUN: MINE CLEARING BLADE NSN: 2590-01-230-8862

1. The purpose of this Modification P00001 is as follows:

- a. Corrects the contract expiration date as shown on page 1 of 5 from 2003 Oct 30 to 2004 Oct 30.
- b. Change clause E-8 from "TACOM Clause 52-211-4016 CARC Paint-Pretreatment Requirements for Ferrous and Galvanized Surfaces SEP/2002", to "TACOM Clause 52-211-4016 TT-C-490, Type 1, Zinc Phosphate Pretreatment Systems For CARC May/2002".
 - c. Incorporates the following Request for Deviations(RFD):

RFD Number	<u>Title</u>
2002.344.01D	Travel Lock Material
2002.344.02D	Sleeve Material
2002.344.03D	RH Pushbeam Material

- d. Incorporates Packaging Specification AK 14236535 as part of the Technical Data Package.
- 2. This Modification clarifies the TDP, P/N 12476120 Deflector Kit. The Skidshoes P/N 12476123 that appear as part of the Deflector Kit are not required to be delivered under this contract; however please note that the two Skidshoes elswhere listed in the TDP are required.
- 3. This Modification P00001 exercises option clause H.12 as follows:
 - a. Exercise Option SubClin 0002AA for quantity of 1 each Blade, Mine, Clearing at a unit price of \$75,848.00.
- b. The exercised option quantity represents less than 4% of the available option under this contract, there remains a quantity of 27 units available under the option.
 - c. The paint color of the Blade, Mine, Clearing exercised under the Option SubClin 0002AA shall be Tan 686A CARC.
 - d. The delivery date for the option quantity is 30 April 2004.
- 4. As a result of this modification the contract value is increased by \$75,848.00 from \$1,744,504.00 to \$1,820,352.00.
- 5. Except as provided herein all other terms and conditions remain unchanged and in full effect. The Contractor waives any further claims for equitable adjustment under this contract for Modification P00001.

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-C-N115

MOD/AMD P00001

Page 3 **of** 7

Name of Offeror or Contractor: MINOWITZ MFG CO

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS				
0002AA	PRODUCTION QUANTITY	1	EA	\$ 75,848.00000	\$ 75,848.00
	NOUN: BLADE, MINE, CLEARING				
	PRON: J526L460EH PRON AMD: 01 ACRN: AB				
	AMS CD: UUR001C FMS CASE IDENTIFIER: EG-B-UUR				
	OPTION QUANTITY, PURSUANT TO SECTION H OR I CLAUSE				
	ENTITLED OPTION FOR INCREASED QUANTITY SEPARATELY PRICED LINE ITEM				
	SEPARAIEDI PRICED DINE TIEM				
	The quantity stated for the option CLIN DOES				
	NOT Form a part of the basic contractual				
	<pre>quantity. Part or all of it may, however, be added to the contract by exercise of the</pre>				
	option clause, at the discretion of the				
	Government.				
	The available option quantity is 28 each. If				
	exercised, the option unit price will be				
	\$75,848.00				
	(End of narrative B001)				
	Description/Specs./Work Statement				
	TOP DRAWING NR: 13228E5945				
	DATE: 21-FEB-2002				
	Packaging and Marking				
	PACKAGING/PACKING/SPECIFICATIONS:				
	SPI AK12308862 UNIT PACK: 1				
	LEVEL PRESERVATION: Military				
	LEVEL PACKING: A				
	Inspection and Acceptance				
	INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance				
	DOC SUPPL				
	REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD				
	001 BEGB4N21549003 BA3UUR L BEGB00 3 PROJ CD BRK BLK PT				
	BEG003				
	DEL REL CD QUANTITY DEL DATE				
	001 1 30-APR-2004				
	FOB POINT: Origin				
	SHIP TO: Contact DCMA for shipping instructions				
		1	1		I

Reference No. of Document Being Continued PIIN/SIIN DAAE07-02-C-N115

MOD/AMD P00001

Page 4 of 7

Name of Offeror or Contractor: MINOWITZ MFG CO

ITEM NO		SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	MARK FOR:	EGYPTIAN MINISTRY OF DEFENSE ARMOR DEPARTMENT STORE NO 67 EL NASER CITY CAIRO EGYPT				

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-02-C-N115

MOD/AMD P00001

Page 5 of 7

Name of Offeror or Contractor: MINOWITZ MFG CO

SECTION E - INSPECTION AND ACCEPTANCE

E-8 52.211-4016 (TACOM)

TT-C-490, TYPE 1, ZINC PHOSPHATE PRETREATMENT SYSTEMS FOR CARC

MAY/2002

- (a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, microcrystalline, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in statistical control. Process control tests for alternative systems must ensure that the process remains in control and must be documented and approved by TACOM. Testing must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours. All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scrapped with a one inch (approximate) metal blade such as a putty knife between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg. per square foot to minimize chipping of the CARC system. All TT-C-490, zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be submitted to the procuring activity no less than 45 days prior to use. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of alternate systems must be demonstrated and approved by the procuring activity. If the TT-C-490 Type 1 system has not been previously approved by TACOM, it must be documented and submitted for approval as specified in the specification. Zinc phosphate systems for galvanized substrates require separate qualification. A list of previously qualified zinc phosphate application facilities is available from TACOM, Materials Engineering Team, (810) 574-5083. Requalification of the process will be required if the process is changed outside the limits defined in the TAOCM letter of system acceptance provided to the application facility.
- (b) Qualification of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with primer only shall be cured for seven days, and scribed thru the primer. After 40 cycle test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate) with a one inch (approximate) metal blade, such as a putty knife, both parallel and perpendicular to the scribe. There shall be no more than 3 mm. of rust creep (zinc corrosion products), blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with non greater than 1 mm. This test shall be performed at two month intervals (two test coupons) to ensure that the process is in control. An alternative test for verifying process control is GM 9511P for 10 cycles.
- (c) Performance tests for process control are highly dependent on the type, thickness, and VOC level of the organic coating (primer) film and its adhesion to the substrate. Any change to the solvents used in the primer or changing the brand of primer will require retesting of the system. The test coupons must duplicate the production painting process as closely as possible. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control.
 - (d) The use of vinyl wash primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level.

[End of Clause]

CONTINUATION SHEET		F	Reference No. of Document Being Continued					
CONTINUATION SHEET			PIIN/SIIN DAAE07-02-C-N115			MOD/AMD POO	MOD/AMD P00001	
Name	of Offeror or Contract	or: MINOWITZ M	IFG CO					•
ECTION	G - CONTRACT ADMINIS	STRATION DATA						
LINE	PRON/	OBLG S	2TAT /			INCREASE/DECREASE		CUMULATIVE
TEM	AMS CD	ACRN JOB O		PRIOR AMOUNT		AMOUNT		AMOUNT
0002AA	J526L460EH UUR001C	AB 2	\$	0.00	\$	75,848.00	\$	75,848.00
				NET CHANGE	\$	75,848.00		
SERVICE	E NET CHANGE					ACCOUNTING		INCREASE/DECREASE
NAME	BY ACRN		CLASSIFICATI			STATION		AMOUNT
Army	AB	9/11 X82421	RGOTXPDT0000	JR 00131E1EGS2011:	5	W56HZV	\$	75,848.00

NET CHANGE \$ 75,848.00

	PRIOR AMOUNT	INCREASE/DECREASE	CUMULATIVE		
	OF AWARD	AMOUNT		OBLIG AMT	
NET CHANGE FOR AWARD:	\$ 1,744,504.00	\$ 75,848.00	\$	1,820,352.00	

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-02-C-N115

MOD/AMD P00001

Page 7 of 7

Name of Offeror or Contractor: MINOWITZ MFG CO

SECTION H - SPECIAL CONTRACT REQUIREMENTS

Status Regulatory Cite	Title	Date
H-1 CHANGED 52.217-4001 (TACOM)	SEPARATELY PRICED OPTION FOR INCREASED QUANTITY	APR/1997

- (a) The Government hereby reserves the right to increase the quantity of the contract item up to an additional quantity of 28 units. The unit price for such option quantity shall be as set forth in CLIN 0002AA (Option unit price \$75,848.00). This option may be exercised by the Government at any time, but in any event not later than 210 days after final FAT approval. In addition, such option may be exercised in increments, subject to the stated total additional quantity limitations, price(s), and the above-stated time for exercise of the option.
- (b) Delivery of the items added by the exercise of this option shall continue immediately after, and at the same rate as, delivery of like items called for under this contract, unless the parties hereto otherwise agree.
- (c) Additionally, prior to the expiration of the original option period identified in paragraph (a) above, the Government may seek a bilateral extension of the option period for an additional period not to exceed 90 days from the expiration date of the original option period.

[End of Clause]